

# *Literature Cited*

---

[References followed by an asterisk (\*) denote items used in developing “Comparative Analysis of Seagrass Planting Efforts” in Chapter 1.]

Adams, J.B. and G.C. Bate. 1994. The tolerance to desiccation of the submerged macrophytes *Ruppia cirrhosa* (Petagna) Grande and *Zostera capensis* Setchell. *J. Exp. Mar. Biol. Ecol.* 183:53-62.

Addy, C.E. 1947. Eel grass planting guide. *Maryland Conserv.* 24:16-17.

Ailstock, M.S., W.J. Fleming and T.J. Cooke. 1991. The characterization of axenic culture systems suitable for plant propagation and experimental studies of the submerged aquatic angiosperm (*Potamogeton pectinatus*, sago pondweed). *Estuaries* 14:57-64.

Alberte, R.S. 1993. Molecular basis of the production ecology of a *Zostera marina* L. (eelgrass): Genetic structure and carbon partitioning (abstract only). pg. 58. In: Proceedings from the International Workshop on Seagrass Biology. Kominato, Japan. Ocean Research Institute, University of Tokyo.

Alberte, R.S., G.K. Suba, G. Procaccini, R.C. Zimmerman and S.R. Fain. 1994. Assessment of genetic diversity of seagrass populations using DNA fingerprinting: Implications for population stability and management. *Proc. Natl. Acad. Sci. USA* 91:1049-1053.

Anderson, E.E. 1989. Economic benefits of habitat restoration: Seagrass and the Virginia hard-shell blue crab fishery. *N. Am. J. Fish. Manage.* 9:140-149. \*

Atkinson, M.J. and S.V. Smith. 1983. C:N:P ratios of benthic marine plants. *Limnol. Oceanogr.* 28:568-574.

- Austin, C.B. and A. Thorhaug. 1977. The economic costs of transplanting seagrasses: *Thalassia*. pp. 69-76. In: Lewis, R.R. and D.P. Cole (eds.) Proceedings of the Fourth Annual Conference on Restoration of Coastal Vegetation in Florida. Hillsborough Community College, Tampa, FL. May 14, 1977.\*
- Backman, T.W.H. 1985. Selection of *Zostera marina* L. ecotypes for transplanting. pp. 1088-1093. In: Conference Record, Ocean Engineering and the Environment, November 12-14, 1985, San Diego, CA.\*
- Backman, T.W.H. 1991. Genotypic and phenotypic variability of *Zostera marina* on the west coast of North America. Can. J. Bot. 69:1361-1371.
- Baldwin, J.R. and J.L. Lovvorn. 1994. Expansion of seagrass habitat by the exotic *Zostera japonica* and its use by dabbling ducks and brants in Boundary Bay, British Columbia. Mar. Ecol. Prog. Ser. 103:119-127.
- Batiuk, R.A., R.J. Orth, K.A. Moore, W.C. Dennison, J.C. Stevenson, L.W. Staver, V. Carter, N.B. Rybicki, R.E. Hickman, S. Kollar, S. Bieber and Patsy Heasly. 1992. Chesapeake Bay submerged aquatic vegetation habitat requirements and restoration targets: A technical synthesis. U.S. Environmental Protection Agency, Annapolis, MD. Contract number 68-WO-0043.
- Bell, J. D., A. S. Steffe and M. Westoby. 1988. Location of seagrass beds in estuaries: Effects on associated fish and decapods. J. Exp. Mar. Biol. Ecol. 122:127-146.
- Bell, J. D., D. J. Ferrell, S. E. McNeill and D.G. Worthington. 1992. Variation in assemblages of fish associated with deep and shallow margins of the seagrass *Posidonia australis*. Mar. Biol. 114:667-676.
- Bell, S.S., E.D. McCoy and H.R. Mushinsky. 1991. Habitat Structure: The physical arrangement of objects in space. Chapman and Hall, New York. 438 pp.
- Bian, L. and S.J. Walsh. 1993. Scale dependencies of vegetation and topography in a mountainous environment of Montana. Prof. Geogr. 45:1-11.
- Biebl, R. and C.P. McRoy. 1971. Plasmatic resistance and rate of respiration and photosynthesis of *Zostera marina* at different salinities and temperatures. Mar. Biol. 8:48-56.
- Bird, K.T., J. Jewett-Smith and M.S. Fonseca. 1994. Use of *in vitro* propagated *Ruppia maritima* for seagrass meadow restoration. J. Coast. Res. 10:732-737.

- Boone, C.G. and R.E. Hoeppel. 1976. Feasibility of transplantation, revegetation, and restoration of eelgrass in San Diego Bay, California. Environmental Effects Laboratory, U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, MS. Contract DACW09-75-B-0026. 42 pp.\*
- Borum, J. 1985. Development of epiphytic communities on eelgrass (*Zostera marina*) along a nutrient gradient in a Danish estuary. *Mar. Biol.* 87:211-218.
- Brown-Peterson, N.J., M.S. Peterson, D.A. Rydene and R.W. Eames. 1993. Fish assemblages in natural vs. well established recolonized seagrass meadows. *Estuaries* 16:177-189.
- Bulthuis, D.A. 1987. Effects of temperature on photosynthesis and growth of seagrasses. *Aquat. Bot.* 27:27-40.
- Bulthuis, D.A. 1994. Light Environments/Implications for Management. pp. 23-27. In: Wyllie-Echeverria, S., A.M. Olson and M.J. Hershman (eds.) EPA 910/r-94-004. Seagrass Science and Policy in the Pacific Northwest: Proceedings of a Seminar Series.
- Bulthuis, D.A. and W.J. Woerkerling. 1981. Effects of in situ nitrogen and phosphorus enrichment of the sediments on the seagrass *Heterozostera tasmanica* (Martins ex Aschers.) den Hartog in Western Port Victoria, Australia. *J. Exp. Mar. Biol. Ecol.* 53:193-207.
- Bulthuis, D.A. and W.J. Woerkerling. 1983. Biomass accumulation and shading effects of epiphytes on leaves of the seagrass, *Heterozostera tasmanica*, in Victoria, Australia. *Aquat. Bot.* 16:137-226.
- Bulthuis, D.A., D.M. Axelrad and M.J. Mickelson. 1992. Growth of the seagrass *Heterozostera tasmanica* limited by nitrogen in Port Phillip Bay, Australia. *Mar. Ecol. Prog. Ser.* 89:269-275.
- Bulthuis, D.A., G.W. Brand and M.C. Mobley. 1984. Suspended sediments and nutrients in water ebbing from seagrass-covered and denuded tidal mudflats in a southern Australian embayment. *Aquat. Bot.* 20:257-266.
- Burdick, D.M. and F.T. Short. 1995. The effects of boat docks on eelgrass beds in Massachusetts coastal waters. Report to: Waquoit Bay National Estuarine Research Reserve and Massachusetts Coastal Zone Management. 32 pp.

- Burkholder, J.M., H.B. Glasgow, Jr. and J.E. Cooke. 1994. Comparative effects of water column nitrate enrichment on eelgrass *Zostera marina*, shoalgrass *Halodule wrightii*, and widgeongrass *Ruppia maritima*. *Mar. Ecol. Prog. Ser.* 105:121-138.
- Cambridge, M.L. and A.J. McComb. 1984. The loss of seagrasses in Cockburn Sound, Western Australia. 1. The time course and magnitude of seagrass decline in relation to industrial development. *Aquat. Bot.* 20:229-243.
- Cambridge, M.L., S.A. Carstairs and J.Kuo. 1983. An unusual method of vegetative propagation in Australian Zosteraceae. *Aquat. Bot.* 15:201-203.
- Camp, D.K., S.P. Cobb, and J.F. Van Breedveld. 1973. Overgrazing of seagrasses by a regular urchin *Lytechinus variegatus*. *Bioscience* 23:37-38.
- Carangelo, P.D. 1986. Seagrass restoration management in south Texas: Aspects of the rate of natural colonization and other regional management considerations. Island Botanics Environmental Consultants Report to Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. Contribution No. 101. 8 pp.\*
- Carangelo, P.D., C.H. Oppenheimer and P.E. Picarazzi. 1979. Biological application for the stabilization of dredged materials, Corpus Christi, Texas: submergent plantings. pp. 243-262. In: Cole, D.P. (ed.) *Proceedings of the Sixth Annual Conference on Wetlands Restoration and Creation*, May 19, 1979. Hillsborough Community College, Environmental Studies Center, Tampa, FL.\*
- Carraway, R.J. and L.J. Priddy. 1983. Mapping of submerged grass beds in Core and Bogue Sounds, Carteret County, North Carolina, by conventional aerial photography. North Carolina Coastal Energy Impact Program. Location Report No. 20. 86 pp.
- Cecconi, G., A. Rismondo and F. Scarton. 1993. Seagrass restoration in Venice Lagoon. pp. 611-620. In: *The Third International Symposium on Coastal Ocean Space Utilization*, 30 March/4 April, Genoa, Italy.\*
- Chesapeake Executive Council. 1989. Submerged aquatic vegetation policy for the Chesapeake Bay and tidal tributaries. Chesapeake Bay Program Agreement Commitment Report. Annapolis, MD. 12 pp.

Chesapeake Bay Program. 1995. Guidance for protecting submerged aquatic vegetation in Chesapeake Bay from physical disruption. U.S. Environmental Protection Agency, Annapolis, MD. EPA 903-R-95-013. 15p.

Christensen, B.A., K. Erickson and J. Dorman. 1983. Niles Channel restoration project: Hydraulic model tests evaluating restored and recently revegetated beds to erosion caused by tidal currents. The Hydraulic Laboratory, Dept. of Civil Engineering, University of Florida. Report No. 8301. For: Tackney & Associates, Inc. Naples, FL. 18 pp.\*

Churchill, A.C. 1983. Field studies on seed germination and seedling development in *Zostera marina* L. *Aquat. Bot.* 16:21-29.\*

Churchill, A.C., A.E. Cok and M.I. Riner. 1978. Stabilization of subtidal sediments by the transplantation of the seagrass *Zostera marina* L. New York Sea Grant Report Series. New York. NYSSGP RS-78-15. 48 pp.

Clark, P.A. 1989. Seagrass restoration: A non-destructive approach. pp. 57-70. In: Webb, F. J. (ed.) Proceedings of the Sixteenth Annual Conference on Wetlands Restoration and Creation, May 25-26. Hillsborough Community College, Tampa, FL.\*

Connell, J.W. and M.J. Keough. 1985. Disturbance and patch dynamics of subtidal marine animals on hard substrata. pp. 125-151. In: Pickett, S.T.A. and P.S. White (eds.) *The Ecology of Natural Disturbance and Patch Dynamics*. Academic Press, Orlando, FL.

Connors, P.G. 1986. Large-scale eelgrass transplant studies, Bodega Harbor, California. Report to Sonoma County Regional Parks by Bodega Marine Laboratory, University of California, Bodega Bay, CA. 42 pp.\*

Cook, R.E. 1985. Growth and development in clonal plant populations. pp. 259-296. In: Jackson, J.B.C., L.W. Buss, and R.E. Cook (eds.) *Population Biology and Evolution of Clonal Organisms*. Yale University Press, New Haven, CT.

Cooper, L.W. 1989. Patterns of carbon isotopic variability in eelgrass, *Zostera marina* L., from Izembek Lagoon, Alaska. *Aquat. Bot.* 34:329-339.

Cooper, L.W. and C.P. McRoy. 1988. Stable carbon isotope variations in marine macrophytes along intertidal gradients. *Oecologia* 77:238-241.

- Cox, P.A. 1993. Water-pollinated plants. *Sci. Am.* 269:68-74.
- Darovec, J.E. Jr., J.M Carlton, T.R. Pulver, M.D. Moffler, G.B. Smith, W.K. Whitfield, Jr., C.A. Willis, K.A. Steidinger and E.A. Joyce, Jr. 1975. Techniques for coastal restoration and fishery enhancement in FL. *Fl. Mar. Res. Publ.*, No. 15:1-27.
- Davis and Short. 1997. Restoring eelgrass, *Zostera marina* L., habitat using a new transplanting technique: the horizontal rhizome method. *Aq. Bot.* 59:1-15.
- Dawes, C.J., M. Chan, R. Chinn, E.W. Koch, A. Lazar and D. Tomasko. 1987. Proximate composition, photosynthetic and respiratory responses of the seagrass *Halophila engelmannii* from Florida. *Aquat. Bot.* 27:195-201.
- Dawes, C.J. 1987. The dynamic seagrasses of the Gulf of Mexico and Florida Coasts. *Fl. Mar. Res. Publ.* 42:25-38.
- Dawes, C.J., C.S. Lobban, and D. Tomasko. 1989. A comparison of the physiological ecology of the seagrasses *Halophila decipiens* Ostenfeld and *H. johnsonii* Eisman from Florida. *Aquat. Bot.* 33:149-154.
- DeLeon, M.F., Durako, M.J., Shup, J.J. and Daeschner, S.W. 1995. Real-world considerations for microppropagating *Ruppia maritima* L. (Widgeon Grass) for seagrass restoration projects. pp. 27-38. In: Webb, F.J. and P.J. Cannizzaro (eds.) Proceedings of the Annual Conference on Ecosystem Restoration and Creation, Hillsborough Community College Tampa, Fl.
- den Hartog, C. 1970. The seagrasses of the world. North-Holland Pub., Amsterdam. 275 pp.
- den Hartog, C. 1971. The dynamic aspect in the ecology of seagrass communities. *Thalassia Jugosl.* 7:101-112.
- den Hartog, C. 1994a. Suffocation of a littoral *Zostera* bed by *Enteromorpha radiata*. *Aquat. Bot.* 47:21-28.
- den Hartog, C. 1994b. The dieback of *Zostera marina* in the 1930's in the Wadden Sea: An eye-witness account by A. van der Werff. *Neth. J. Aquat. Ecol.* 28:51-54
- den Hartog, C. 1996. Sudden declines of seagrass beds: "Wasting disease" and other disasters. pp. 307-314. In: Kuo, J., R.C. Phillips, D.I. Walker and H. Kirkman (eds.)

Seagrass Biology Proceedings of an International Workshop, Rottnest Island, Western Australia.

Dennison, W. C. 1987. Effects of light on seagrass photosynthesis, growth and depth distribution. *Aquat. Bot.* 27:15-26.

Dennison, W.C. and R.S. Alberte. 1985. Role of daily light period in the depth distribution of *Zostera marina* (eelgrass). *Mar. Ecol. Prog. Ser.* 25:51-61.

Dennison, W.C. and R.S. Alberte. 1986. Photoadaptation and growth of *Zostera marina* L. (Eelgrass) along a depth gradient. *J. Exp. Mar. Biol. Ecol.* 98:265-282.

Dennison, W.C. and H. Kirkman. 1996. Seagrass Survival Model. pp. 341-344. In: Kuo, J., R.C. Phillips, D.I. Walker and H. Kirkman (eds.) *Seagrass Biology Proceedings of an International Workshop, Rottnest Island, Western Australia*.

Dennison, W.C., R.C. Aller, and R.S. Alberte. 1987. Sediment ammonium availability and eelgrass (*Zostera marina*) growth. *Mar. Biol.* 94:469-477.

Dennison, W. C., R. J. Orth, K. A. Moore, J. C. Stevenson, V. Carter, S. Kollar, P. W. Bergstrom and R. A. Batiuk. 1993. Assessing water quality with submersed aquatic vegetation. *Bioscience* 43:86-94.

Derrenbacker, J.A. and R.R. Lewis. 1982. Seagrass habitat restoration in Lake Surprise, Florida Keys. pp. 132-154. In: Stoval, R.H. (ed.) *Proceedings Ninth Annual Conference on Wetlands Restoration and Creation, May 20-21, Hillsborough Community College, Tampa, FL*.

Derrenbacker, J., Jr. and R.R. Lewis. 1983. Seagrass habitat restoration, Lake Surprise, Florida Keys. *Mangrove Systems, Inc.*, Tampa, FL. 19 pp.\*

Dobson, J.E., E.A. Bright, R.L. Ferguson, D.W. Field, L.L. Wood, K.D. Haddad, H. Iredale III, J.R. Jensen, V.V. Klemas, R.J. Orth and J.P. Thomas. 1995. NOAA Coastal Change Analysis Program (C-CAP) for Regional Implementation. NOAA Technical Report NMFS 123. NOAA, Silver Spring, MD. 92 pp.

Drew, E. A. 1979. Physiological aspects of primary production in seagrasses. *Aquat. Bot.* 7:139-150.

- Drysdale, F.R. and M.G Barbour. 1975. Response of the marine angiosperm *Phyllospadix torreyi* to certain environmental variables: A preliminary study. *Aquat. Bot.* 1:97-106.
- Duarte, C.M. 1990. Seagrass nutrient content. *Mar. Ecol. Prog. Ser.* 67:201-207.
- Duarte, C. M. 1991. Seagrass depth limits. *Aquat. Bot.* 40:363-377.
- Duarte, C.M. and K. Sand-Jensen. 1990. Seagrass colonization: Biomass development and shoot demography in *Cymodocea nodosa* patches. *Mar. Ecol. Prog. Ser.* 67:97-103.
- Duarte, C.M., M. Merino and M. Gallegos. 1995. Evidence of iron deficiency in seagrasses growing above carbonate sediments. *Limnol. Oceanogr.* 40:1153-1158.
- Duarte, C.M., N. Marba, N. Agawin, J. Cebrian, S. Enriquez, M.D. Fortes, M.E. Gallegos, M. Merino, B. Olesen, K. Sand-Jensen, J. Uri and J. Vermaat. 1994. Reconstruction of seagrass dynamics: Age determination and associated tools for the seagrass ecologist. *Mar. Ecol. Prog. Ser.* 107:195-209.
- Durako, M.J. and M.D. Moffler. 1981. Variation in *Thalassia testudinum* seedling growth related to geographic origin. pp. 100-117. In: Cole, D.P. (ed.), Proceedings of the Eighth Annual Conference on Wetlands Restoration and Creation, May 8-9, 1981. Hillsborough Community College, Environmental Studies Center, Tampa, FL.\*
- Durako, M.J. and M.D. Moffler. 1984. Qualitative assessment of five artificial growth media on growth and survival of *Thalassia testudinum* (Hydrocharitaceae) seedlings. pp. 73-92. In: Webb, F.J., Jr. (ed.), Proceedings of the Eleventh Annual Conference on Wetlands Restoration and Creation, May 17-18, 1984. Hillsborough Community College, Tampa, FL. \*
- Durako, M.J., R.C. Phillips and R.R. Lewis, III. 1987. Proceedings of the symposium on subtropical-tropical seagrasses of southeastern United States. *Fl. Mar. Res. Publ.* 42. 209 pp.
- Durako, M.J., M.O. Hall, F. Sargent and S. Peck. 1992. Propeller scars in seagrass beds: An assessment and experimental study of recolonization in Weedon Island State Preserve, Florida. pp. 42-53. In: Webb, F.J., Jr. (ed.), Proceedings of the Nineteenth

---

Annual Conference on Wetlands Creation and Restoration, May 14-15, 1992. Hillsborough Community College, Tampa, FL.\*

Durako, M.J., J.J. Shup, C.J. Andress and D.A. Tomasko. 1993. Restoring seagrass beds: Some new approaches with *Ruppia maritima* L. (widgeon-grass). pp 88-101 In: Webb, F.J., Jr. (ed), Proceedings of the Twentieth Annual Conference on Wetlands Restoration and Creation. May 1993, Hillsborough Community College, Institute of Florida Studies, Plant City, FL.

Durako, M.J., Shup, J.J., DeLeon, M.F., and Daeschner, S.W. 1995. A bioassay approach to seagrass restoration. pp. 44-55. In: Webb, F.J., Jr. and P.J. Cannizzaro (eds.), Proceedings of the Annual Conference on Ecosystem Restoration and Creation, Hllsborough Community College, Tampa, FL.

Eleuterius, L.N. and J.I. Gill, Jr. 1981. Long-term observations on seagrass beds and salt marsh established from transplants. pp. 74-86. In: Stovall, R.H. (ed), Proceedings of the Eighth Annual Conference on Wetlands Restoration and Creation, May 8-9, 1981, Hillsborough Community College, Tampa, FL.\*

Eleuterius, L.N. 1975. Submergent vegetation for bottom stabilization. pp. 439-456. In: Cronin, L.E. (ed.), Estuarine Research, Vol. 2. Academic Press, New York.

Eleuterius, L.N. 1987. Seagrass: A neglected coastal resource. pp. 719-724. In: Lynch, M.P. and K. L. McDonald (eds.). Proceedings of the Tenth National Conference. Estuarine and Coastal Management: Tools of the Trade, October 1986. Volume 2. New Orleans, LA.

Eleuterius, L.N. and C.J. Miller. 1976. Observations on seagrasses and seaweeds in Mississippi Sound since Hurricane Camille. J. Miss. Acad. Sci. 21:58-63.

Enriquez, S., S. Agusti and C.M. Duarte. 1992. Light absorption by seagrass *Posidonia oceanica* leaves. Mar. Ecol. Prog. Ser. 86:201-204.

Erftemeijer, P.L.A., J. Stapel, M.J.E. Smekens and W.M.E. Drossaert. 1994. The limited effect of *in situ* phosphorus and nitrogen additions to seagrass beds on carbonate and terrigenous sediments in South Sulawesi, Indonesia. J. Exp. Mar. Biol. Ecol. 192:123-140.

Evans, A.S., K.L. Webb and P.A. Penhale. 1986. Photosynthetic temperature acclimation in coexisting seagrasses, *Zostera marina* L. and *Ruppia maritima* L. Aquat. Bot. 24:185-197.

- Fain, S.R., A. DeTomaso and R.S. Alberte. 1992. Characterization of disjunct populations of *Zostera marina* (eelgrass) from California: Genetic differences resolved by restriction-fragment length polymorphisms. *Mar. Biol.* 112:683-689.
- Follansbee, B. and R. Lawrence. 1987. Transplantation of eelgrass (*Zostera marina*) in Humboldt Bay. LSA, Pt. Richmond, CA. 6 pp.\*
- Fonseca, M.S. 1989a. Regional analysis of the creation and restoration of seagrass systems. pp. 175-198. *In:* Kusler, J.A. and M.E. Kentula (eds.) Wetland Creation and Restoration: The Status of the Science. Volume I: Regional Reviews. Environmental Research Laboratory, Corvallis, OR. EPA/600/3-89/038a.
- Fonseca, M.S. 1989b. Sediment stabilization by *Halophila decipiens* in comparison to other seagrasses. *Est. Coast. Shelf Sci.* 29:501-507.
- Fonseca, M.S. 1992. Restoring Seagrass Systems in the United States. pp. 79-110. *In:* Thayer, G.W. (ed.). Restoring the Nation's Marine Environment. Maryland Sea Grant College, College Park, MD, Publication UM-SG-TS-92-06. 716 pp.
- Fonseca, M.S. 1994. A Guide to Planting Seagrasses in the Gulf of Mexico. Texas A&M University Sea Grant College Program. Galveston, TX. TAMU-SG-94-601. 26 pp.
- Fonseca, M.S. 1996a. The role of seagrasses in nearshore sedimentary processes: A review. pp. 261-286. *In:* Roman, C. and K. Nordstrom. (eds.) Estuarine Shores: Hydrological, Geomorphological and Ecological Interactions. Blackwell, Boston, MA.
- Fonseca, M.S. 1996b. Scale dependence in the study of seagrass systems. pp. 95-104. *In:* Kuo, J., R.C. Phillips, D.L. Walker, and H. Kirkman (eds.) Seagrass Biology: Proceedings of an International Workshop, Rottnest Island, Western Australia.
- Fonseca, M.S. and J.S. Fisher. 1986. A comparison of canopy friction and sediment movement between four species of seagrass with reference to their ecology and restoration. *Mar. Ecol. Prog. Ser.* 29:15-22.
- Fonseca, M.S. and W.J. Kenworthy. 1987. Effects of current on photosynthesis and distribution of seagrasses. *Aquat. Bot.* 27:59-78.

Fonseca, M.S., W.J. Kenworthy and F.X. Courtney. 1996a. Development of planted seagrass beds in Tampa Bay, Florida, U.S.A.: I. Plant components. Mar. Ecol. Prog. Ser. 132:127-139.

Fonseca, M.S., D.L. Meyer and M.O. Hall. 1996b. Development of planted seagrass beds in Tampa Bay, Florida, U.S.A.: II. Faunal components. Mar. Ecol. Prog. Ser. 132:141-156.

Fonseca, M.S., W.J. Kenworthy and R.C. Phillips. 1982. A Cost-evaluation technique for restoration of seagrass and other plant communities. Environ. Conserv. 9:237-241.\*

Fonseca, M.S., W.J. Kenworthy and G.W. Thayer. 1982. A low-cost planting technique for eelgrass (*Zostera marina* L.). U.S. Army Corps of Engineers, Coastal Engineering Research Center, Ft. Belvoir, VA. Coastal Engineering Technical Aid No. 82-6. 15 pp.

Fonseca, M.S., W.J. Kenworthy and G.W. Thayer. 1987a. Transplanting of the seagrasses *Halodule wrightii*, *Syringodium filiforme*, and *Thalassia testudinum* for sediment stabilization and habitat development in the Southeast Region of the United States. U.S. Army Corps of Engineers, Washington, D.C. Technical Report EL-87-8. 58 pp.

Fonseca, M.S., G.W. Thayer, W.J. Kenworthy. 1987c. The use of ecological data in the implementation and management of seagrass restorations. Fl. Mar. Res. Pub. No. 42:175-187.

Fonseca, M.S., W.J. Kenworthy and G.W. Thayer. 1988. Restoration and Management of Seagrass Systems: A Review. pp. 353-368. In: Hook, D.D. et al. (eds.) The Ecology and Management of Wetlands. Vol. 2: Management, Use, and Value of Wetlands. Timber Press, Portland, OR.

Fonseca, M.S., W.J. Kenworthy, F.X. Courtney and M.O. Hall. 1994. Seagrass planting in the Southeastern United States: Methods for accelerating habitat development. Restor. Ecol. 2(3):198-212.

Fonseca, M.S., W.J. Kenworthy, J. Homziak and G.W. Thayer. 1979. Transplanting of eelgrass and shoalgrass as a potential means of economically mitigating a recent loss of habitat. pp. 280-326. In: Cole, D.P. (ed.) Proceedings of the Sixth Annual

Conference on Wetlands Restoration and Creation, May 19, 1979. Hillsborough Community College, Tampa, FL.

Fonseca, M.S., G.W. Thayer, D.L. Meyer and V.G. Thayer. In press. Effect of habitat heterogeneity in planted saltmarsh and seagrass on system linkages and faunal development. U.S. Army Corps of Engineers, Waterways Experiment Station, Spec. Rep.

Fonseca, M.S., W.J. Kenworthy, K. Rittmaster and G.W. Thayer. 1987b. The use of fertilizer to enhance transplants of the seagrasses *Zostera marina* and *Halodule wrightii*. U.S. Army Corps of Engineers, Washington, D.C. Technical Report EL-87-12. 45 pp.

Fonseca, M.S., J.C. Zieman, G.W. Thayer, J.S. Fisher. 1983. The role of current velocity in structuring eelgrass (*Zostera marina*) meadows. *Estuar. Coast. Shelf Sci.* 17: 367-380.

Fonseca, M.S., W.J. Kenworthy, K.M. Cheap, C.A. Currin and G.W. Thayer. 1984. A low-cost transplanting technique for shoalgrass (*Halodule wrightii*) and manatee grass (*Syringodium filiforme*). U.S. Army Corps of Engineers, Washington, D.C. Instruction Report EL-84-1. 16 pp.

Fonseca, M.S., W.J. Kenworthy, G.W. Thayer, D.Y. Heller and K.M. Cheap. 1985. Transplanting of the seagrasses *Zostera marina* and *Halodule wrightii* for sediment stabilization and habitat development on the East Coast of the United States. U.S. Army Corps of Engineers, Washington, D.C. Technical Report EL-85-9. 63 pp.

Fonseca, M.S., W.J. Kenworthy, D.R. Colby, K.A. Rittmaster and G.W. Thayer. 1990. Comparisons of fauna among natural and transplanted eelgrass *Zostera marina* meadows: Criteria for mitigation. *Mar. Ecol. Prog. Ser.* 65:251-264.

Fonseca, M.S. and S.S. Bell. In press. The influence of physical setting on seagrass landscapes near Beaufort, North Carolina, U.S.A. *Mar. Ecol. Prog. Ser.*

Fonseca, M.S., B.E. Julius and W.J. Kenworthy. In press. Integrating biology and economics in seagrass restoration: how much is enough and why. NOAA Conf. on Goal Setting and Success Criteria for Coastal Habitat Restoration. Jan. 12-14, 1998, Charleston, SC.

Fortes, M.D. 1988. Mangrove and seagrass beds of East Asia: Habitats under stress. *Ambio* 31:207-213.

Fourqurean, J.W. and J. C. Zieman. 1991. Photosynthesis, respiration and whole plant carbon budget of the seagrass *Thalassia testudinum*. Mar. Ecol. Prog. Ser. 69: 161-170.

Fourqurean, J.W., J.C. Zieman and G.V.N. Powell. 1992a. Relationships between porewater nutrients and seagrasses in a subtropical carbonate environment. Mar. Biol. 114:57-65.

Fourqurean, J.W., J.C. Zieman and G.V.N. Powell. 1992b. Phosphorus limitation of primary production in Florida Bay: Evidence from C:N:P ratios of the dominant seagrass *Thalassia testudinum*. Limnol. Oceanogr. 37:162-171.

Fourqurean, J.W., G.V.N. Powell, W.J. Kenworthy and J.C. Zieman. 1995. The effects of long-term manipulation of nutrient supply on competition between the seagrasses *Thalassia testudinum* and *Halodule wrightii* in Florida Bay. Oikos 72:349-358.

Fredette, T.J., M.S. Fonseca, W.J. Kenworthy and S. Wyllie-Echeverria. 1985. An investigation of eelgrass (*Zostera marina*) transplanting in San Francisco Bay, CA. U.S. Army Corp. of Engineers, San Francisco District. 33 pp.

Fresh, K.L. 1994. Seagrass Management in Washington State. pp. 38-41. In: Wyllie-Echeverria, S., A.M. Olson and M.J. Hershman (eds.) Seagrass Science and Policy in the Pacific Northwest: Proceedings of a Seminar Series. Environmental Protection Agency, Seattle, WA. (SMA 94-1). EPA 910/R-94-004. 63 pp.\*

Fuss, C.M., Jr. and J.A. Kelly, Jr. 1969. Survival and growth of sea grasses transplanted under artificial conditions. Bull. Mar. Sci. 19:351-365.\*

Futuyma, D.J. 1986. Evolutionary Biology. Sinauer Associates. Sunderland, MA. 600 pp.

Gaines, S.D. and M.W. Denny. 1993. The largest, smallest, highest, lowest, longest, and shortest: Extremes in ecology. Ecology 74:1677-1692.

Gallegos, C. L. 1994. Refining habitat requirements of submersed aquatic vegetation: Role of optical models. Estuaries 17:198-209.

Gallegos, C.L. and W.J. Kenworthy. 1996. Seagrass depth-limits in the Indian River Lagoon (Florida, USA): Application of an Optical Water Quality Model. Estuar. Coast. Shelf Sci. 42:267-288.

- Ginsberg, R.N. and H.A. Lowenstam. 1958. The influence of marine bottom communities on the depositional environment of sediments. *J. Geol.* 66:310-318.
- Goforth, H.W. and T.J. Peeling. 1975. Eelgrass (*Zostera marina* L.) beds along the western shore of North Island Naval Air Station, California. A Study of the Impact of Pier Construction and Possible Compensating Actions. Marine Environmental Management Office, Chemistry and Environmental Sciences Division. Naval Undersea Center, San Diego, CA. 23 pp.\*
- Goforth, H.W. and T.J. Peeling. 1980. Intertidal and subtidal eelgrass (*Zostera marina* L.) transplant studies in San Diego Bay, California. Naval Ocean Systems Center, San Diego, CA. Technical Report 505. 25 pp.\*
- Granger, S., S. Nixon, M. Traber and R. Keyes. 1996. The application of horticultural techniques in the propagation of eelgrass (*Zostera marina* L.) from seed (abstract only). p. 377. In: Kuo, J., R.C. Phillips, D.I. Walker and H. Kirkman (eds.) Seagrass Biology Proceedings of an International Workshop, Rottnest Island, Western Australia.
- Haddad, K.D. 1989. Habitat trends and fisheries in Tampa and Sarasota Bays. pp. 113-128. In: Tampa and Sarasota Bays: Issues, Resources, Status and Management. NOAA, Washington, D.C., NOAA Estuary-of-the Month Seminar Series, No. 11.
- Harlin, M.M. and B. Throne-Miller. 1981. Nutrient enrichment of seagrass beds in a Rhode Island coastal lagoon. *Mar. Biol.* 65:221-229.
- Harrison, P.G. 1978. Patterns of uptake and translocation of  $^{14}\text{C}$  by *Zostera americana* den Hartog in the laboratory. *Aquat. Bot.* 5:93-97.
- Harrison, P.G. 1982. Seasonal and year-to-year variations in mixed intertidal populations of *Zostera japonica* Aschers. & Graebn. and *Ruppia maritima* L. S.L. *Aquat. Bot.* 14:357-371.
- Harrison, P.G. 1987. Natural expansion and experimental manipulation of seagrass (*Zostera* spp.) abundance and the response of infaunal invertebrates. *Estuar. Coast. Shelf Sci.* 24:799-812.
- Harrison, P.G. 1988. Experimental eelgrass transplants in southwestern British Columbia, Canada. pp. 46-57. In: Merkel, K.W. and R.S. Hoffman (eds.). Proceed-

ings of the California Eelgrass Symposium, Chula Vista, Calif., May 27-28, 1988. Sweetwater River Press, National City, CA.\*

Harrison, P.G. 1990. Variations in success of eelgrass transplants over a five-years' period. Environ. Conserv. 17:157-163.

Harrison, P.G. 1993. Variations in demography of *Zostera marina* and *Zostera noltii* on an intertidal gradient. Aquat. Bot. 45:63-77.

Harrison, P.G. and R.E. Bigley. 1982. The recent introduction of the seagrass *Zostera japonica* Aschers. and Graebn. to the Pacific Coast of North America. Can. J. Fish. Aquat. Sci. 39:1642-1648.

Hershman, M.J. and K.A. Lind. 1994. Evaluating and Developing Seagrass Policy in the Pacific Northwest. pp. 48-53. In: Wyllie-Echeverria, S., A.M. Olson and M.J. Hershman (eds.). Seagrass Science and Policy in the Pacific Northwest: Proceedings of a Seminar Series. Environmental Protection Agency, Seattle, WA. (SMA 94-1). EPA 910/R-94-004. 63 pp.

Hoffman, R.S. 1986. Fishery utilization of eelgrass (*Zostera marina*) beds and non-vegetated shallow water areas in San Diego Bay. National Marine Fisheries Service, Southwest Region. Admin. Report SWR-86-4. 29 pp.

Hoffman, R.S. 1988a. Recovery of eelgrass beds in Mission Bay, San Diego, California following beach restoration work. pp. 21-27. In: Merkel, K.W. and R.S. Hoffman (eds.). Proceedings of the California Eelgrass Symposium, Chula Vista, California. May 27-28, 1988. Sweetwater River Press, National City, CA.

Hoffman, R.S. 1988b. Fishery utilization of natural versus transplanted eelgrass beds in Mission Bay, San Diego, California. pp. 58-64. In: Merkel, K.W. and R.S. Hoffman (eds.). Proceedings of the California Eelgrass Symposium, Chula Vista, California. May 27-28, 1988. Sweetwater River Press, National City, CA.\*

Hoffman, R.S. 1991. Relative fisheries values of natural versus transplanted eelgrass beds (*Zostera marina*) in Southern California. pp. 16-30. In: Coastal Wetlands Coastal Zone-91 Conference, July 1991. ASCE, Long Beach, CA. \*

Hoffman, W.E., M.J. Durako and R.R. Lewis III. 1982. Habitat restoration in Tampa Bay. pp. 636-657. In: Treat, S.F., J.L. Simon and R.L. Whitman, Jr. (eds.). Proceedings

of the Tampa Bay Area Scientific Information Symposium, May 1982, Bellwether Press, Tampa, FL.\*

Holtz, S. 1986. Tropical seagrass restoration. Restor. and Manage. Notes 4:5-11.\*

Homziak, J., M.S. Fonseca and W.J. Kenworthy. 1982. Macrofaunal community structure in a transplanted eelgrass (*Zostera marina*) meadow. Mar. Ecol. Prog. Ser. 9:211-221.

Hootsmans, M.J.M., J.E. Vermaat and W. Van Vierssen. 1987. Seed-bank development, germination and early seedling survival of two seagrass species from the Netherlands: *Zostera marina* L. and *Zostera noltii* Hornem. Aquat. Bot. 28:275-285.

Iverson, R.L. and H.F. Bittaker. 1986. Seagrass distribution and abundance in eastern Gulf of Mexico coastal waters. Estuar. Coast. Shelf Sci. 22:577-602.

Joanen, J.T. 1964. A study of the factors that influence the establishment of natural and artificial stands of widgeongrass, *Ruppia maritima*, on Rockefeller Refuge, Cameron Parish, Louisiana. M.S.Thesis, Louisiana State University. 86 pp. \*

Johansson, J.O.R. and R.R. Lewis, III. 1992. Recent Improvement of water quality and bioindicators in Hillsborough Bay, a highly impacted subdivision of Tampa Bay, Florida, USA. pp. 1199-1216. In: Vollenweider, R.A., Marchetti, R. and R. Viviani (eds.). Symposium on Marine Coastal Eutrophication, Bologna (Italy), 21-24 March 1990. Elsevier, Amsterdam.

Johnson, D.S. and H.H. York. 1915. The relation of plants to tide levels. A study of factors affecting the distribution of marine plants. Carnegie, Washington, D.C. 162 pp.

Josselyn, M., M. Fonseca, T. Niesen and R. Larson. 1986. Biomass, production and decomposition of a deep water seagrass, *Halophila decipiens* Ostenf. Aquat. Bot. 25: 47-61.

Keddy, J. and D.G. Patriquin. 1978. An annual form of eelgrass in Nova Scotia. Aquat. Bot. 5:163-170.

Keddy, P.A. 1982. Quantifying within-lake gradients of wave energy: Interrelationships of wave energy, substrate particle size and shoreline plants in Axe Lake, Ontario. Aquat. Bot. 14:41-58.

Kelly, J. A., C.M. Fuss and J.R. Hall. 1971. The transplanting and survival of turtle grass, *Thalassia testudinum*, in Boca Ciega Bay, Florida. Fish. Bull. 69:273-280.

Kenworthy, W.J. 1992. Protecting fish and wildlife habitat through a better understanding of the minimum light requirements of subtropical-tropical seagrasses in the southeastern United States and Caribbean basin. Ph.D. Dissertation, North Carolina State University, Raleigh, N.C. 258 pp.

Kenworthy, W.J. and M. Fonseca. 1977. Reciprocal transplant of the seagrass *Zostera marina* L. Effect of substrate on growth. Aquaculture. 12:197-213. \*

Kenworthy, W.J. and M.S. Fonseca. 1992. The use of fertilizer to enhance growth of transplanted seagrasses *Zostera marina* L. and *Halodule wrightii* Aschers. J. Exp. Mar. Biol. Ecol. 163:141-161.

Kenworthy, W.J. and D.E. Haunert. 1991. The light requirements of seagrasses: proceedings of a workshop to examine the capability of water quality criteria, standards and monitoring programs to protect seagrasses. National Oceanic and Atmospheric Administration, Tech. Memo. NMFS-SEFC-287. Beaufort, N.C. 181 pp.

Kenworthy, W.J., J.C. Zieman and G.W. Thayer. 1982. Evidence for the influence of seagrasses on the benthic nitrogen cycle in a coastal plains estuary near Beaufort, North Carolina. Oecologia 54:152-158.

Kenworthy, W.J., C.A. Currin, M.S. Fonseca and G. Smith. 1989. Production, decomposition, and heterotrophic utilization of the seagrass *Halophila decipiens* in a submarine canyon. Mar. Ecol. Prog. Ser. 51:277-290.

Kenworthy, W.J., M.S. Fonseca, J. Homziak and G.W. Thayer. 1980. Development of a Transplanted Seagrass (*Zostera marina* L.) Meadow in Back Sound, Carteret County, North Carolina. pp. 175-193. In: Cole, D.P. (ed.). Proceedings of the Seventh Annual Conference on the Restoration and Creation of Wetlands, 16 May 1980. Hillsborough Community College, Tampa, FL.

Kikuchi, T. 1980. Faunal relationships in temperate seagrass beds. pp. 153-172. In: Phillips, R.C. and C.P. McRoy (eds.). Handbook of seagrass biology, an ecosystem perspective. Garland STPM Press, New York.

King, D. and C. Bohlen. 1994. Estimating the costs of wetlands mitigation. Nat. Wetl. News. 16:3-8.

Kirkman, H. 1981. The first year in the life history and the survival of the juvenile marine macrophyte, *Ecklonia radiata* (Turn.) J.Agardh. J. Exp. Mar. Biol. Ecol. 55:243-254.

Kitting, C.L. and S. Wyllie-Echeverria. 1992. Seagrasses of San Francisco Bay: Status, management and conservation needs. pp. 388-395. In: Yosemite Centennial Symposium Proceedings, National Park Service. N.P.S. D-374. Denver Service Center , Denver, CO. 667 pp.

Koch, E.W. and M.J. Durako. 1991. *In vitro* studies of the submerged angiosperm *Ruppia maritima*: auxin and cytokinin effects on plant growth and development. Mar. Biol. 110:1-6.

Koch, E.W. 1993. Hydrodynamics of flow through seagrass canopies: biological, physical, and geochemical interactions. Ph.D. Dissertation, Univ. South Florida, Tampa, FL. 123 pp.

Kraemer, G. P. and R. S. Alberte. 1993. Age-related patterns of metabolism and biomass in subterranean tissues of *Zostera marina* (eelgrass). Mar. Ecol. Prog. Ser. 95:193-203.

Lalumiere, R., D. Messier, J.J. Fournier and C.P. McRoy. 1994. Eelgrass meadows in a low Arctic environment, the northeast coast of James Bay, Quebec. Aquat. Bot. 47:303-315.

Lapointe, B.E. and M.W. Clark. 1992. Nutrient inputs from the watersheds and coastal eutrophication in the Florida Keys. Estuaries 15:466-476.

Laushman, R.H. 1993. Population genetics of hydrophilous angiosperms. Aquat. Bot. 44:147-158

Levine, S.N., D.T. Rudnick, J.R. Kelly, R.D. Morton and L.A. Buttell. 1990. Pollutant dynamics as influenced by seagrass beds: Experiments with tributyltin in *Thalassia* microcosms. Mar. Environ. Res. 30:297-322. \*

Lewis, F.G. III. 1987. Crustacean epifauna of seagrass and macroalgae in Apalachee Bay, Florida, USA. Mar. Biol. 94:219-229.

Lewis Environmental Services, Inc. 1993. City of Clearwater seagrass relocation project, final monitoring report. Lewis Environmental Services, Inc., Tampa, FL. 11 pp.\*

- Lewis, R.R. 1987. The restoration and creation of seagrass meadows in the Southeast United States. *Fl. Mar. Res. Publ.* 42:153-173.
- Lewis, R.R. 1989. Wetlands restoration/creation/enhancement terminology: suggestions for standardization. pp. 1-8. In: Kusler, J.A. and M.E. Kentula. (eds.). *Wetland Creation and Restoration: The status of the science. Vol. II. Perspectives.* Environ. Res. Lab., Corvallis, OR. EPA/600/ 3-89/038b.
- Lewis, R.R. 1990. Laboratory culture methods. pp. 37-41. In: Phillips, R.C. and C.P. McRoy (eds.). *Seagrass Research Methods.* UNESCO, Paris. Monographs on Oceanographic Methodology, No. 9. 210 pp.
- Lewis, R.R., III and R.C. Phillips. 1980. Occurrence of seeds and seedlings of *Thalassia testudinum* Banks Ex Konig in the Florida Keys (U.S.A.). *Aquat. Bot.* 9:377-380.
- Lewis, R.R., R.C. Phillips, D.J. Adamek, and J.C. Cato. 1982. Seagrass revegetation studies in Monroe County: final report. Continental Shelf Associates, Tequesta, FL. 300 pp. \*
- Libes, M. and C.F. Boudouresque. 1987. Uptake and long-distance transport of carbon in the marine phanerogram *Posidonia oceanica*. *Mar. Ecol. Prog. Ser.* 38:177-186.
- Livingston, R.J. 1987. Historic trends of human impacts on seagrass meadows in Florida. *Fl. Mar. Res. Publ.* 42:139-152.
- Lockwood, J.C. 1990. Seagrass as a consideration in the site selection and construction of marinas. Environmental Management for Marinas Conference, Sept. 5-7, 1990, Washington, DC. International Marina Institution, Wickford, Rhode Island. Technical Reprint Series.
- Lockwood, J.C. 1991. Seagrass survey guidelines for New Jersey. Internal Working Document, NOAA National Marine Fisheries Service, Sandy Hook Lab., Sandy Hook, NJ.
- Loflin, R.U. 1995. The effects of docks on seagrass beds in the Charlotte Harbor Estuary. *Fl. Scientist* 58:198-205.
- Mager, A., Jr. and G.W. Thayer. 1986. National Marine Fisheries habitat conservation efforts in the southeast region of the United States from 1981 through 1985. *Mar. Fish. Rev.* 48:1-8.

- Mangrove Systems Inc. 1985a. Combined Final Report, Florida Keys Restoration Project. Florida Department of Environmental Regulation, Tallahassee, FL.
- Mangrove Systems, Inc. 1985b. Combined report one year and 21 month post-transplant monitoring, New Pass Bridge (Sarasota) seagrass planting. Mangrove Systems, Inc., Tampa, FL. 23 pp. \*
- Mangrove Systems, Inc. 1985c. Florida Keys seagrass restoration phase I & II combined final report. Mangrove Systems, Inc., Tampa, FL. 73 pp. \*
- Mangrove Systems, Inc. 1986. Ship harbor seagrass mitigation project report no.2, final baseline monitoring report. Mangrove Systems, Inc., Tampa, FL.\*
- Marba, N. and C.M. Duarte. 1995. Coupling of seagrass (*Cymodocea nodosa*) patch dynamics to subaqueous dune migration. J. Ecology 83:381-389.
- Marba, N., J. Cebrian, S. Enriquez and C.M. Duarte. 1994. Migration of large-scale subaqueous bedforms measured using seagrasses (*Cymodocea nodosa*) as tracers. Limnol. Oceanogr. 39:126-133.
- Mayer, F.L., Jr. and J.B. Iow. 1970. The effect of salinity on widgeongrass. J. Wildl. Manage. 34:658-661.
- McLaughlin, P.A., S.A.F. Trent, A. Thorhaug and R. Lemontree. 1983. A restored seagrass (*Thalassia*) bed and its animal community. Environ. Conserv. 10:247-254.
- McMillan, C. 1983. Seed germination for an annual form of *Zostera marina* from the sea of Cortez, Mexico. Aquat. Bot. 16:105-110.
- McMillan, C. 1984. The distribution of tropical seagrasses with relation to their tolerance of high temperatures. Aquat. Bot. 19:369-379.
- McMillan, C. and R.C. Phillips. 1979. Differentiation in habitat response among populations of New World Seagrasses. Aquat. Bot. 7:185-196.
- McPherson, B.F. and R.L. Miller. 1987. The vertical attenuation of light in Charlotte Harbor, a shallow, subtropical estuary, south-western Florida. Estuar. Coast. Shelf Sci. 25:721-737.
- McRoy, C.P. and R.C. Phillips. 1977. Seagrass Transplants: The Theoretical Basis. Univ. of Alaska, Fairbanks, AK. \*

MEC Analytical Systems, Inc. 1993. Deepwater mitigation alternatives for port development. California Association of Port Authorities. Sacramento, CA.\*

Meinesz, A., G. Caye, F. Loques and H. Molenaar. 1991. Growth and development in culture of orthotropic rhizomes of *Posidonia oceanica*. *Aquat. Bot.* 39:367-377. \*

Meinesz, A., G. Caye, F. Loques and H. Molenaar. 1993. Polymorphism and development of *Posidonia oceanica* transplanted from different parts of the Mediterranean into the National Park of Port-Cros. *Bot. Mar.* 36:209-216. \*

Meinesz, A., H. Molenaar, E. Bellone and F. Loques. 1992. Vegetative reproduction in *Posidonia oceanica*. I. Effects of rhizome length and transplantation season in orthotropic shoots. *Mar. Ecol. P.S.Z.N.I.* 13:163-174. \*

Merkel, K.W. 1988a. Eelgrass Transplanting in South San Diego Bay, California. pp. 28-42. In: Merkel, K.W. and R.S. Hoffman (eds.). Proceedings of the California Eelgrass Symposium. May 27-28, 1988, Chula Vista, California. Sweetwater River Press, National City, CA.

Merkel, K.W. 1988b. Growth and Survival of Transplanted Eelgrass: The Importance of Planting Unit Size and Spacing. pp. 70-78. In: Merkel, K.W. and R.S. Hoffman. (eds.) Proceedings of the California Eelgrass Symposium. May 27-28, 1988, Chula Vista, California. Sweetwater River Press, National City, CA.

Merkel, K.W. 1991. Identifying impacts and developing mitigation for eelgrass (*Zostera marina*) meadows within developing and expanding marinas. In: Ross, N.W. (ed.). 1991 Marina Research Reprint Series. International Marina Institute, Wickford, RI.\*

Merkel, K.W. 1991. The use of seagrasses in the enhancement, creation, and restoration of marine habitats along the California coast: Lessons learned from fifteen years of transplants. National Research Council, Washington, D.C. 12 pp. \*

Merkel, K.W. and R.S. Hoffman. 1988. Proceedings of the California Eelgrass Symposium. Chula Vista, CA. May 27-28, 1988. 78pp.

Merkel, K.W. and R.S. Hoffman. 1990. The use of dredged materials in the restoration of eelgrass meadows. In: Landin, M.S. et al. (eds.). Proceedings of a Regional Workshop: Beneficial Uses of Dredged Material in the Western U.S., 21-25 May 1990. San Diego, CA. U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS. \*

Merkel, K.W. 1992. A field manual of transplantation techniques for the restoration of pacific coast eelgrass meadows. Pacific Southwest Biological Services, Inc. National City, CA. 42 pp.

Metro-Dade County Department of Environmental Resources Management. 1986. Survival results for seagrasses transplanted from Key Biscayne to Mercy Hospital. Metro-Dade County Department of Environmental Resources Management, Miami, FL. 15 pp.\*

Meyer, D.L., M.S. Fonseca, W.J. Kenworthy, D.R. Colby, G.W. Thayer, M.J. LaCroix, P.L. Murphy, C.A. Currin, R.L. Ferguson and B.A. France. 1990. SWIM Final Report. Florida Dept. Nat. Res. St. Petersburg, Fla. Contract No. C4488. 31 pp.

Meyer, D.L., M.S. Fonseca, P.L. Murphey, R.H. McMichael Jr., M.W. Lacroix, P.E. Whitfield, M.M. Byerly and G.W. Thayer. *In press*. The impact of bait shrimp trawling on seagrass beds and fish by-catch in Tampa Bay, FL. Fish. Bull.

Miller, R.L. and B.F. McPherson. 1995. Modeling photosynthetically active radiation in water of Tampa Bay, Florida, with emphasis on the geometry of incident irradiance. Estuar. Coast. Shelf Sci. 40:359-377.

Molenaar, H. and A. Meinesz. 1992. Vegetative reproduction in *Posidonia oceanica*. II. Effects of depth changes on transplanted orthotropic shoots. Mar. Ecol. P.S.Z.N.I: 13:175-185. \*

Molenaar, H., A. Meinesz and G. Caye. 1993. Vegetative reproduction in *Posidonia oceanica*, survival and development in different morphological types of transplanted cuttings. Bot. Mar. 36:481-488. \*

Molinier, R.M. and J. Picard. 1952. Recherches sur les herbiers de phanérogrammes marines du littoral Méditerranéen Français. Annu. Inst. Oceanogr. 29:157-234.

Montagna, P.A. 1993. Comparison of ecosystem structure and function of created and natural seagrass habitats in Laguna Madre, Texas. Univ. of Texas Marine Science Institute, Port Aransas, TX, Technical Report Number TR/93-007.

Moore, K.A. and R.J. Orth. 1982. Regrowth of submerged vegetation into a denuded area caused by boat disturbance. pp. 150-170. *In*: Orth, R.J. and K.A. Moore (eds.). The biology and propagation of *Zostera marina*, eelgrass, in the Chesapeake

Bay, Virginia. Applied Science and Ocean Engineering, Virginia Institute of Marine Science, Gloucester Point, VA. Special Report Number 265. 187 pp.

Morris, L and D.A. Tomasko (eds.). 1993. Proceedings and conclusions of workshops on submerged aquatic vegetation initiative and photosynthetically active radiation. Palatka, FL.: St. Johns River Water Management District. Special Publication SJ93-SP13. 244 pp.

Mote Marine Laboratory and Mangrove Systems, Inc. 1989. Lassing Park seagrass planting, final report. Florida Dept. Nat. Res., Tallahassee, FL. Contract No. 24085/86.

Muehlstein, L.K. 1989. Perspectives on the wasting disease of eelgrass *Zostera marina*. Dis. Aquat. Orgs. 7:211-221.

Mumford, T.F., Jr. 1994. Inventory of Seagrass: Critical Needs for Biologists and Managers. pp. 29-37. In: Wyllie-Echeverria, S., A.M. Olson and M.J. Hershman (eds.). Seagrass Science and Policy in the Pacific Northwest: Proceedings of a Seminar Series. U.S. Environmental Protection Agency, Seattle, WA. (SMA 94-1). EPA 910/R-94-004. 63 pp. \*

Murphrey, P.L. and M.S. Fonseca. 1995. Role of high and low energy seagrass beds as nursery areas for *Penaeus duorarum* in North Carolina. Mar. Ecol. Prog. Ser. 121:91-98.

Murray, L., W.C. Dennison and W.M. Kemp. 1992. Nitrogen versus phosphorus limitation for growth of an estuarine population of eelgrass (*Zostera marina* L.). Aquat. Bot. 44:83-100.

Neckles, H.A., R.L. Wetzel and R.J. Orth. 1993. Relative effects of nutrient enrichment and grazing on epiphyte-macrophyte (*Zostera marina* L.) dynamics. Oecologia 93:285-295.

Neckles, H.A., E.T. Koepfler, L.W. Haas, R.L. Wetzel and R.L. Orth. 1994. Dynamics of epiphytic photoautotrophs and heterotrophs in *Zostera marina* (eelgrass) microcosms: Responses to nutrient enrichment and grazing. Estuaries 17:597-605.

Nessmith, C. 1980. Natural and Induced Revegetation Processes in an Artificially Disturbed Seagrass Meadow in Texas. Ph.D Dissertation, University of Texas, Austin.

- Newton, G.A. and Associates. 1988. Analysis of mitigation alternatives for the proposed Allen and Finn Project. Fields Landing, CA.\*
- Nitsos, R. 1988. Morro Bay Eelgrass Transplant. pp. 43-45. In: Merkel, K.W. and R.S. Hoffman (ed.). Proceedings of the California Eelgrass Symposium, Chula Vista, California, May 27-28, 1988. Sweetwater River Press, National City, CA. \*
- Ogden, J.C., R.A. Brown and N. Salesky. 1973. Grazing by the echinoid *Diadema antillarum* Philippi: Formation of Halos around West Indian Patch Reefs. Science 182:715-717
- Olson, A.M. and A. Straub. 1994. Ecological models in research on eelgrass: An approach to setting research priorities. pp. 54-58. In: Wyllie-Echeverria, S., A.M. Olson and M.J. Hershman (eds.). Seagrass Science and Policy in the Pacific Northwest: Proceedings of a Seminar Series. U.S. Environmental Protection Agency, Seattle, WA. (SMA 94-1). EPA 910/R-94-004. 63 pp. \*
- Onuf, C.P. 1994. Seagrasses, dredging and light in Laguna Madre, Texas, U.S.A. Estuar. Coast. Shelf Sci. 39:75-91.
- Orth, R.J. 1975. Destruction of eelgrass *Zostera marina* by the cownose ray, *Rhinoptera bonasus*, in the Chesapeake Bay. Chesapeake Sci. 16:205-208.
- Orth, R.J. 1977. Effect of nutrient enrichment on growth of the eelgrass *Zostera marina* in the Chesapeake Bay, Virginia, USA. Mar. Biol. 44:187-194.
- Orth, R.J. 1985. Project 9: Reestablishment of Submerged Aquatic Vegetation Initiative. Virginia Institute of Marine Science, Gloucester, Pt., VA. 13 pp. \*
- Orth, R.J. and K.A. Moore. 1981. Submerged aquatic vegetation of the Chesapeake Bay; past, present, and future. Trans. N. Am. Wildl. Nat. Resour. Conf. 46:271-283.
- Orth, R.J. and K.A. Moore. 1982. The effect of fertilizers on transplanted eelgrass, *Zostera marina* L., in the Chesapeake Bay. pp. 191-231. In: Webb, E.J. (ed.). Proceedings of the Ninth Annual Conference on Wetlands Restoration and Creation. Hillsborough Community College, Tampa, FL. \*
- Orth, R.J. and K.A. Moore. 1983. Seed germination and seedling growth of, *Zostera marina* L. (eelgrass) in the Chesapeake Bay. Aquat. Bot. 15:117-131.

Orth, R.J. and J.F. Nowak. 1990. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and Chincoteague Bay — 1989. Final Report. U.S. Environmental Protection Agency. Chesapeake Bay Liaison Office. Annapolis, MD. 249pp.

Orth, R.J. and J.Van Montfrans. 1990. Utilization of marsh and seagrass habitats by early stages of *Callinectes sapidus*:A latitudinal perspective. Bull. Mar. Sci. 46:126-144.

Orth, R.J., M. Luckenbach and K.A. Moore. 1994. Seed dispersal in a marine macrophyte: Implications for colonization and restoration. Ecology 75:1927-1939.

Parry, B.L., C.M. Rozen and G.A. Seaman. 1993. Restoration and Enhancement of Aquatic Habitats in Alaska: Project Inventory, Case Study Selection and Bibliography. Alaska Dept. of Fish and Game, Habitat and Restoration Division. Technical Report No. 93-8.\*

Patriquin, D.G. 1975. "Migration" of blowouts in seagrass beds at Barbados and Carriacou, West Indies and its ecological and geological applications. Aquat. Bot. 1:163-189.

Pawlak, B. 1994. Analysis of the policies and management practices of Washington State agencis as they pertain to the seagrasses *Zostera marina* and *Zostera japonica*. University of Washington School of Marine Affairs. 20 pp. Seattle, WA. Padilla Bay National Estuarine Research Reserve Reprint Series, No. 20. 20 pp.

Perez, M., J. Romero, C.M. Duarte, and K.Sand-Jensen. 1991. Phosphorus limitation of *Cymodocea nodosa* growth. Mar. Biol. 109:129-133.

Perez, M., C.M. Duarte, J. Romero, K. Sand-Jensen and T. Alcoverro. 1994. Growth plasticity in *Cymodocea nodosa* stands: The importance of nutrient supply. Aquat. Bot. 47:249-264.

Perez-Llorens, J.L. and F.X. Niell. 1993. Temperature and emergent effects on the net photosynthesis of two *Zostera noltii* Hornem. morphotypes. Hydrobiologia 254:53-64.

Peterson, C.H. 1982. Clam predation by whelks (*Busycon* spp.): Experimental tests of the importance of prey size, prey density, and seagrass cover. Mar. Biol. 66:159-170.

- Peterson, C.H., H.C. Summerson and P.B. Duncan. 1984. The influence of seagrass cover on population structure and individual growth rate of a suspension-feeding bivalve *Mercenaria mercenaria*. *J. Mar. Res.* 42:123-138.
- Peterson, C.H., H.C. Summerson and S.R. Fegley. 1987. Ecological consequences of mechanical harvesting of clams. *Fish. Bull.* 85:281-298.
- Philippart, C.J.M. 1994. Interactions between *Arenicola marina* and *Zostera noltii* on a tidal flat in the Wadden Sea. *Mar. Ecol. Prog. Ser.* 111:251-257.
- Phillips, R. C. 1960. Observations on the ecology and distribution of the Florida seagrasses. *Fla. State Board Conserv. Prof. Papers Ser.*, No. 2. 72 pp.
- Phillips, R.C. 1974. Transplantation of seagrasses, with special emphasis on eelgrass, *Zostera marina* L. *Aquaculture* 4:161-176. \*
- Phillips, R.C. 1976. Preliminary observations on transplanting and a phenological index of seagrasses. *Aquat. Bot.* 2:93-101.\*
- Phillips, R.C. 1977. Dredge and Recovery Report, U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS. \*
- Phillips, R.C. 1979. Ecological notes on *Phyllospadix* (Potamogetonaceae) in the Northeast Pacific. *Aquat. Bot.* 6:159-170.
- Phillips, R.C. 1980a. Responses of transplanted and indigenous *Thalassia testudinum* Ex Konig and *Halodule wrightii* Aschers. to sediment loading and cold stress. *Contrib. Mar. Sci.* 23:79-87.
- Phillips, R.C. 1980b. Planting Guidelines for Seagrass. U. S. Army Corps of Engineers, Coastal Engineering Aid, U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Phillips, R.C. 1980c. Planting and Propagation Guidelines and Techniques for Seagrasses of the United States and Its Territories. Seattle, WA. CERC Contract No. DACW 72-79-C-0030.\*
- Phillips, R.C. 1982. Seagrass meadows. pp. 173-202. In: Lewis, R.R. (ed.). Creation and restoration of coastal plant communities. CRC Press, Boca Raton, FL.

Phillips, R.C. 1984. The ecology of eelgrass meadows in the pacific northwest: A community profile. U.S. Fish Wildl. Serv. USFWS/OBS-84/24. 85 pp.

Phillips, R.C. 1990. Transplant methods. pp. 51-54. In: Phillips, R.C. & C.P. McRoy (eds.); Seagrass Research Methods. UNESCO, Paris.\*

Phillips, R.C. and R.R. Lewis III. 1983. Influence of environmental gradients on variations in leaf widths and transplant success in North American seagrasses. J. Mar. Technol. Soc. 17:59-68.\*

Phillips, R.C. and C.P. McRoy (eds.). 1990. Seagrass Research Methods. Published by United Nations Educational, Scientific and Cultural Organization. UNESCO, Paris. 210 pp.

Phillips, R.C. and E.G. Menez. 1988. Seagrasses. Smithsonian Contrib. Mar. Sci. 34:1-104.

Phillips, R.C. and S. Wyllie-Echeverria. 1990. *Zostera asiatica* Miki on the Pacific Coast of North America. Pacific Sci. 44:130-134.

Phillips, R.C., L.A. de Wit and L.D. Fausak. 1992. Transplantation of surfgrass (*Phyllospadix torreyi*) into a high energy shallow coastal zone near Santa Barbara, California. National Society of Wetland Scientists Meeting, New Orleans, LA., June 1992.

Phillips, R.C., M.K. Vincent, and R.T. Huffman. 1978. Habitat development field investigations, Port St. Joe seagrass demonstration site. U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS. 55 pp.\*

Powell, G.V.N. and F.C. Schaffner. 1991. Water trapping by seagrasses occupying bank habitats in Florida Bay. Estuar. Coast. Shelf Sci. 32:43-60.

Powell, G.V.N., W.J. Kenworthy, and J.W. Fourqurean. 1989. Experimental evidence for nutrient limitation of seagrass growth in a tropical estuary with restricted circulation. Bull. Mar. Sci. 44:324-340.

Procaccini, G. and L. Mazzella. 1996. Genetic variability and reproduction in two Mediterranean seagrasses. pp. 85-94. In: Kuo, J., R.C. Phillips, D.I. Walker and H. Kirkman. (eds.). Seagrass Biology. Proceedings of an International Workshop, Rottnest Island, Western Australia.

Proctor & Redfern, Inc. 1989. Lassing Park seagrass planting final report. Environmental Division, Proctor & Redfern, Inc., Tampa, FL. 36 pp.\*

Pulich, W.M., Jr. 1985. Seasonal growth dynamics of *Ruppia maritima* L. and *Halodule wrightii* Aschers, in Southern Texas and evaluation of sediment fertility status. Aquat. Bot. 23:53-66.

Pulich, W.M., Jr. and W.A. White. 1991. Decline of submerged vegetation in the Galveston Bay system: Chronology and relationships to physical processes. J. Coast. Res. 7:1125-1138.

Race, M.S. and M.S. Fonseca. 1996. Fixing compensatory mitigation: what will it take? Ecological Applications. 6:94-101.

Ranwell, D.S., D.W. Wyer, L.A. Boorman, J.M. Pizzey and R.J. Waters. 1974. *Zostera* transplants in Norfolk and Suffolk, Great Britain. Aquaculture 4:185-198.\*

Reusch, T.B.H., A.R.O. Chapman and J.P. Groeger. 1994. Blue mussels *Mytilus edulis* do not interfere with eelgrass *Zostera marina* but fertilize shoot growth through biodeposition. Mar. Ecol. Prog. Ser. 108:265-282.

Riner, M. I. 1976. A study on method, techniques and growth characteristics for transplanted portions of eelgrass, (*Zostera marina*). M.S. Thesis, Adelphi University, Garden City, NY. 103 pp.\*

Rivera, J.A., A. Mager, Jr., R.L. Ferguson, D.W. Field and F.A. Cross. 1992. Verification of submerged aquatic vegetation alterations associated with U.S. Army Corps of Engineers permit requests. Presented at the First Thematic Conference on Remote Sensing for Marine and Coastal Environments, New Orleans LA., USA, 15-17 June, 1992.

Robblee, M.B., T.R. Barber, P.R. Carlson, M.J. Durako, J.W. Fourqurean, L.K. Muehlstein, D. Porter, L.A. Yarbro, R.T. Zieman and J.C. Zieman. 1991. Mass mortality of the tropical seagrass *Thalassia testudinum* in Florida Bay (USA). Mar. Ecol. Prog. Ser. 71:297-299.

Roberts, M.H., Jr., R.J. Orth and K.A. Moore. 1984. Growth of *Zostera marina* L. seedlings under laboratory conditions of nutrient enrichment. Aquat. Bot. 20:321-328.\*

Robertson, A.I. and K.H. Mann. 1984. Disturbance by ice and life-history adaptations of the seagrass *Zostera marina*. Mar. Biol. 80:131-141.

Robilliard, G.A. and P.E. Porter. 1976a. Transplantation of eelgrass (*Zostera marina*) in San Diego Bay. Undersea Sciences Department, Naval Undersea Center, San Diego, CA. 35 pp.

Robilliard, G.A. and P.E. Porter. 1976b. Long-term effects of a dredging-pipelaying-backfilling project on an eelgrass bed in San Diego Bay after one year. Rick Engineering Company, San Diego, CA. 18 pp.\*

Rogers, R.G. and F.T. Bisterfield. 1974. Seagrass revegetation attempts in Escambia Bay, Florida, during 1974. Environmental Protection Agency, Escambia Bay Recovery Study. Gulf Breeze, FL.\*

Rogers, W.M. 1972. Eelgrass transplanting and monitoring report. Report EIM #193. S.D. Warren, In., Division Scott Paper Co., Westbrook, ME.

Rossi, R.E., D.J. Mulla, A.G Journel and E.H. Franz. 1992. Geostatistical tools for modeling and interpreting ecological spatial dependence. Ecol. Monogr. 62:277-314.

Ruckelshaus, M.H. 1994a. Incorporating the Population Biology of Eelgrass into Management. pp. 19-22. In: Wyllie-Echeverria, S., A.M. Olson and M.J. Hershman. (eds.). Seagrass Science and Policy in the Pacific Northwest: Proceedings of a Seminar Series. U.S. Environmental Protection Agency, Seattle, WA. (SMA 94-1). EPA 910/r-94-004. 63 pp.

Ruckelshaus, M.H. 1994b. Ecological and Genetic Factors Affecting Population Structure in the Marine Angiosperm, *Zostera marina* L. Ph.D Dissertation, University of Washington. Seattle, WA. 206 pp.

Sand-Jensen, K. 1977. Effects of epiphytes on eelgrass photosynthesis. Aquat. Bot. 3:55-63.

Sand-Jensen, K. and J. Borum. 1983. Regulation of growth of eelgrass (*Zostera marina* L.) in Danish coastal waters. Mar. Technol. Soc. J. 17:15-21.

Sargent, F.J., T.J. Leary, D.W. Crewz and C.R. Kruer. 1995. Scarring of Florida's seagrasses: Assessment and management options. Florida Department of Environmental Protection, St. Petersburg, FL. FMRI Technical Report TR-1. 46 pp.

- Schwarzschild, A.S., W.G. MacIntyre, K.A. Moore and E.L. Libelo. 1994. *Zostera marina* L. growth in response to atrazine in root-rhizome and whole plant exposure experiments. *J. Exp. Mar. Biol. Ecol.* 183:77-89.
- Shore Protection Manual. 1977. U.S. Army Coastal Engineering Research Center, Ft. Belvoir, VA.
- Short, F.T. 1983. The response of interstitial ammonium in eelgrass (*Zostera marina* L.) beds to environmental perturbations. *J. Exp. Mar. Biol. Ecol.* 68:195-208.
- Short, F.T. 1987. Effects of sediment nutrients on seagrasses, literature review and mesocosm experiment. *Aquat. Bot.* 27:41-57.
- Short, F.T. 1993. The Port of New Hampshire Interim Mitigation Success Assessment Report. Jackson Estuarine Laboratory, University of New Hampshire, Durham, NH. 19 pp.
- Short, F.T. and D.M. Burdick. 1996. Quantifying eelgrass habitat loss in relation to housing development and nitrogen loading in Waquoit Bay, Massachusetts. *Estuaries*. 19:730-739.
- Short, F.T. and C.P. McRoy. 1984. Nitrogen uptake by leaves and roots of the seagrass *Zostera marina* L. *Bot. Mar.* 17:547-555.
- Short, F.T. and C.A. Short. 1984. The seagrass filter: purification of estuarine and coastal waters. pp. 395-413. In: Kennedy, V.S. (ed.). *The Estuary as a Filter*. Academic Press, Orlando, FL.
- Short, F.T., W.C. Dennison and D.G. Capone. 1990. Phosphorus limited growth of the tropical seagrass *Syringodium filiforme* in carbonate sediments. *Mar. Ecol. Prog. Ser.* 62:169-174.
- Short, F.T., B.W. Ibelings and C. den Hartog. 1988. Comparison of a current eelgrass disease to the wasting disease in the 1930s. *Aquat. Bot.* 30:295-304.
- Short, F.T., L.K. Muhlstein and D. Porter. 1987. Eelgrass wasting disease: Cause and recurrence of a marine epidemic. *Biol. Bull.* 173:557-562.
- Short, F.T., D.M. Burdick, J. Wolf and G.E. Jones. 1993. Eelgrass in estuarine research reserves along the east coast, U.S.A., Part I: Declines from pollution and disease. Part

II: Management of eelgrass meadows. NOAA Coastal Ocean Program Publ. Silver Spring, MD. 107 pp.

Short, F.T., M.W. Davis, R.A. Gibson and C.F. Zimmerman. 1985. Evidence for phosphorus limitation in carbonate sediments of the seagrass *Syringodium filiforme*. Estuar. Coast. Shelf Sci. 20:419-430.

Shreffler, D.K. and R.M. Thom. 1993. Restoration of urban estuaries: New approaches for site location and design. Battelle Marine Sciences Laboratory, Sequim, Washington. Contract No. 20891. 107 pp. \*

Silberstein, K., A.W. Chiffings and A.J. McComb. 1986. The loss of seagrass in Cockburn Sound, Western Australia. III. The effect of epiphytes on productivity of *Posidonia australis* Hook. Aquat. Bot. 24:355-371.

Silberstein, M.A. 1989. Seagrass research in west coast national estuarine research reserves. pp. 3707-3711. In: Magoon, O.T., H. Converse, D. Miner, L.T. Tobin and D. Clark (eds.). Coastal Zone '89. Proceedings of the Sixth Symposium on Coastal and Ocean Management, July 11-14, 1989, Charleston, SC. American Society of Civil Engineers, New York, NY. \*

Simenstad, C.A. 1994. Faunal Associations and Ecological Interactions in Seagrass Communities of the Pacific Northwest Coast. pp. 11-18. In: Wyllie-Echeverria, S., A.M. Olson and M.J. Hershman (eds.). Seagrass Science and Policy in the Pacific Northwest: Proceedings of a Seminar Series. U.S. Environmental Protection Agency, Seattle, WA. (SMA 94-1). EPA 910/R-94-004. 63 pp.\*

Smith, I., M.S. Fonseca, J.A. Rivera and K.A. Rittmaster. 1988a. Habitat value of natural versus recently transplanted eelgrass, *Zostera marina*, for the bay scallop, *Argopecten irradians*. Fish. Bull. 87:189-196.

Smith, R. D., A. M. Pregnall and R. S. Alberte. 1988b. Effects of anaerobiosis on root metabolism of the seagrass *Zostera marina* L. (eelgrass). Mar. Biol. 98:131-141.

Smith, S.V., W.J. Kimmerer, E.A. Laws, R.E. Brock and T.W. Walsh. 1981. Kanohohe Bay sewage diversion experiment: perspectives on ecosystem responses to nutritional perturbation. Pacific Sci. 35:278-296.

Sousa, W.P. 1979. Experimental investigations of disturbance and ecological succession in a rocky intertidal algal community. Ecol. Monogr. 49:227-254.

- Stein, G. 1984. Port's expensive seagrass program fails to take root. The Miami Herald Sunday, June 10, 1984.
- Stephan, C.D., W.J. Goldsborough, J.H. Dunningan and P.A. Sandifer. 1997. Atlantic States Marine Fishery Commission Submerged Aquatic Vegetation Policy. ASMFC Habitat Management Series #3. 9 pp.
- Stoner, A.W. 1983. Distributional ecology of amphipods and tanaidaceans associated with three seagrass species. *J. Crust. Biol.* 3:505-518.
- Stotts, V.D. 1976. Preliminary results of planting submergent aquatic plants in Upper Chesapeake Bay, 1976. Wildlife Administration, Washington, D.C. 2 pp. \*
- Stout, J.P. and K.L. Heck, Jr. 1991. Reintroduction of oligohaline estuarine grass-beds: Techniques and functional ecology. Dauphin Island Sea Lab., Dauphin Island, AL. Rep. No. 91-001. 58 pp.
- Suchanek, T.H. 1983. Control of seagrass communities and sediment distribution by *Callianassa* (Crustacea, Thalassinidea) bioturbation. *J. Mar. Res.* 41:281-298.
- Taylor, J.D. and M.S. Lewis. 1970. The flora, fauna and sediments of the marine grass beds of Mahe, Seychelles. *J. Nat. Hist.* 4:199-220.
- Taylor, J.L. and C.H. Saloman. 1968. Some effects of hydraulic dredging and coastal development in Boca Ciega Bay, Florida. *Fish. Bull.* 67:213-241.
- Terrados, J., C.M. Duarte, M.D. Fortes, J. Borum, N.S.R. Agawin, S. Bach, U. Thampanya, L. Kamp-Nielson, W.J. Kenworthy, O. Geertz-Hansen and J. Vermaat. 1998. Changes in community structure and biomass of seagrass communities along gradients of siltation in SE Asia. *Estuar. Coast. Shelf Sci.* 46:757-768.
- Thayer, G.W. (eds.). 1992. Restoring the nations marine environment. Maryland Sea Grant College, College Park, MD., Publication UM-SG-TS-92-06. 716 pp.
- Thayer, G.W., W.J. Kenworthy and M.S. Fonseca. 1984. The ecology of eelgrass meadows of the Atlantic coast: A community profile. U.S. Fish and Wildl. Serv. FWS/OBS-84/02. 147 pp.
- Thayer, G.W., M.S. Fonseca and W.J. Kenworthy. 1985. Wetland mitigation and restoration in the Southeast United States and two lessons from seagrass mitigation.

pp. 95-117. In: The Estuarine Management Practice Symposium, November 12-13, 1985, Baton Rouge, LA.

Thayer, G.W., M.S. Fonseca and W.J. Kenworthy. 1990. Seagrass Transplantation—Is it a Viable Habitat Mitigation Option? pp. 194-204. In: Lazor, R.L. and R. Medina (eds.). Proceedings of the Gulf Coast Regional Workshop, April 1988, Galveston, Texas. U.S. Army Corps of Engineers, Environmental Effects of Dredging Programs. Technical Report D-90-3.

Thayer, G.W., P.L. Murphey and M.W. Lacroix. 1994. Responses of plant communities in western Florida Bay to the die-off of seagrasses. Bull. Mar. Sci. 54:718-726.

Thayer, G.W., D.A. Wolfe and R.B. Williams. 1975. The impact of man on seagrass systems. Am. Sci. 63:288-296.

Thom, R.M. 1990. A review of eelgrass (*Zostera marina* L.) transplanting projects in the Pacific Northwest. Northwest Environ. J. 6:121-137.

Thom, R.M. 1993. Eelgrass (*Zostera marina* L.) transplant monitoring in Gray's Harbor, Washington, after 29 months. U.S. Army Corps of Engineers, Seattle District. Seattle, WA. Contract DE-AC06-76RLO 1830. 17 pp. \*

Thom, R.M. 1994. Restoration of damaged eelgrass habitats. pp. 42-46. In: Wyllie-Echeverria, S., A.M. Olson and M.J. Hershman (eds.). Seagrass Science and Policy in the Pacific Northwest: Proceedings of a Seminar Series. U.S. Environmental Protection Agency, Seattle, WA. (SMA 94-1). EPA 910/R-94-004. 63 pp. \*

Thom, R.M. and L. Hallum. 1991. Long-term changes in the areal extent of tidal marshes, eelgrass meadows and kelp forests of Puget Sound. U.S. Environmental Protection Agency, Seattle, WA. EPA910/9-91-005. 55 pp.

Thom, R.M. and D.K. Shreffler. 1994. New directions in eelgrass mitigation and transplanting research in the Pacific Northwest. Batelle Marine Sciences Laboratory, Sequim, WA. 5 pp. \*

Thorhaug, A. 1974. Transplantation of the seagrass *Thalassia testudinum* Konig. Aquaculture 4:177-183.

Thorhaug, A. 1976. Transplantation techniques for the seagrass *Thalassia testudinum*. Univ. of Miami Sea Grant, Univ. of Miami, Coral Gables, FL. Tech. Bull. 34. 6 pp.

- Thorhaug, A. 1977. Symposium on restoration of major plant communities in the United States. Environ. Conserv. 4:49-50.\*
- Thorhaug, A. 1979a. The flowering and fruiting of restored *Thalassia* beds: A preliminary note. Aquat. Bot. 6:189-192.\*
- Thorhaug, A. 1979b. Restoration of seagrass communities: Strategies for lessening man's impact on nearshore marine resources. In: Proceedings of the V International Symposium of Tropical Ecology. Kuala Lumpur, Malaysia. April 16-23.\*
- Thorhaug, A. 1980. Environmental management of a highly impacted, urbanized tropical estuary: Rehabilitation and restoration. Helgolander Meeresuntersuchungen 33:614-623.\*
- Thorhaug, A. 1981. Biology and management of seagrass in the Caribbean. Ambio 10:295-298.\*
- Thorhaug, A. 1983. Habitat restoration after pipeline construction in a tropical estuary: Seagrasses. Mar. Poll. Bull. 14:422-425.\*
- Thorhaug, S. 1986. Review of seagrass restoration efforts. Ambio 15(2):110-117.\*
- Thorhaug, A. 1987. Large scale seagrass restoration in a damaged estuary: Test plot program. Mar. Pollut. Bull. 18:442-444.\*
- Thorhaug, A. and C.B. Austin. 1976. Restoration of seagrass with economic analysis. Environ. Conserv. 3:259-268.
- Tomasko, D.A. and C.J. Dawes. 1989. Evidence for physiological integration between shaded and unshaded short shoots of *Thalassia testudinum*. Mar. Ecol. Prog. Ser. 54:299-305.
- Tomasko, D.A. and B.E. Lapointe. 1991. Productivity and biomass of *Thalassia testudinum* as related to water column nutrient availability and epiphyte levels: Field observations and experimental studies. Mar. Ecol. Prog. Ser. 75:9-17.
- Tomasko, D.A. C.J. Dawes and M.O. Hall. 1991. Effects of the number of short shoots and presence of the rhizome apical meristem on the survival and growth of transplanted seagrass *Thalassia testudinum*. Contr. Mar. Sci. 52:41-48.

- Townsend, E.C., M.S. Fonseca. 1998. Bioturbation as a potential mechanism influencing spatial heterogeneity of North Carolina Seagrass beds. *Mar. Ecol. Prog. Ser.* 169:123-132.
- Turner, T. 1985. Stability of rocky intertidal surfgrass beds: Persistence, preemption and recovery. *Ecology* 66:83-92.
- Turner, T. and J. Lucas. 1985. Differences and similarities in the community roles of three rocky intertidal surfgrasses. *J. Exp. Mar. Biol. Ecol.* 89:175-189.
- Twilley, R.R., W.M. Kemp, K.W. Staver, J.C. Stevenson and W.R. Boyton. 1985. Nutrient enrichment of estuarine submerged vascular plant communities. 1. Algal growth and effects on production of plants and associated communities. *Mar. Ecol. Prog. Ser.* 23:171-191.
- Uchiyama H. 1996. An easy method for investigating molecular systemic relationships in the Genus *Zostera*, Zosteraceae. pp. 79-84. In: Kuo, J., R.C. Phillips, D.I. Walker and H. Kirkman (eds.). *Seagrass Biology: Proceedings of an International Workshop*, Rottnest Island, Western Australia.
- Valentine, J.F. and K.L. Heck, Jr. 1991. The role of sea urchin grazing in regulating subtropical seagrass meadows: Evidence from field manipulations in the northern Gulf of Mexico. *J. Exp. Mar. Biol. Ecol.* 154:215-230.
- Valentine, J.F., K.L. Heck, Jr., P. Harper and M. Beck. 1994. Effects of bioturbation in controlling turtlegrass (*Thalassia testudinum* Banks ex Koenig) abundance: Evidence from field enclosures and observations in the northern Gulf of Mexico. *J. Exp. Mar. Biol. Ecol.* 178:181-192.
- Valiela, I., J. Costa, K. Foreman, J.M. Teal, B. Howes and D. Aubrey. 1990. Transport of groundwater-borne nutrients from watersheds and their effects on coastal waters. *Biogeochemistry* 10:177-197.
- van Breedveld, J. F. 1975. Transplanting of seagrasses with special emphasis on the importance of substrate. *Fla. Mar. Res. Publ.* 17:1-26.
- Virnstein, R.W. 1995. Seagrass landscape diversity in the Indian River Lagoon, Florida: The importance of geographic scale and pattern. *Bull. Mar. Sci.* 57:67-74.
- Vitousek, P.M. 1994. Beyond global warming: Ecology and Global Change. *Ecology* 75:1861-1876.

- Walker, D.I. and A.J. McComb. 1992. Seagrass degradation in Australian coastal waters. *Mar. Poll. Bull.* 26:191-195.
- Ward, L.G., W.M. Kemp and W.R. Boynton. 1984. The influence of waves and seagrass communities on suspended particulates in an estuarine embayment. *Mar. Geol.* 59:85-103.
- Waycott, M. and D.H. Les. 1996. An integrated approach to the evolutionary study of seagrasses. pp. 71-78. *In:* Kuo, J., R.C. Phillips, D.I. Walker and H. Kirkman (eds.). *Seagrass Biology: Proceedings of an International Workshop, Rottnest Island, Western Australia.*
- Wetzel, R.L. and H.A. Neckles. 1986. A model of *Zostera marina* L. photosynthesis and simulated effects of selected physical-chemical variables and biological interactions. *Aquat. Bot.* 26:307-323.
- White House Office on Environmental Policy. 1993. Protecting America's wetlands: A fair, flexible and effective approach. The White House, Wash., D.C. 26 pp.
- Williams, S.L. 1990. Experimental studies of Caribbean seagrass bed development. *Ecol. Monogr.* 60:449-469.
- Williams, S.L. and W.H. Adey. 1983. *Thalassia testudinum* Banks Ex Konig seedling success in a coral reef microcosm. *Aquat. Bot.* 16:181-188.\*
- Williams, S.L. and C.A. Davis. 1993. Genetic diversity of eelgrass populations: Importance for restoration. pp. 36-44. *In:* Proceedings from the International Workshop on Seagrass Biology. Kominato, Japan. Ocean Research Institute, University of Tokyo, Japan. 73 pp.
- Williams, S. and R.J. Orth. 1998. Genetic diversity and structure of natural and transplanted eelgrass populations in the Chesapeake and Chincoteague Bays. *Estuaries* 21:118-128.
- Wood, E.J.F., W.E. Odum and J.C. Zieman. 1969. Influence of sea grasses on the productivity of coastal lagoons. pp. 495-502. *In:* Ayala Castanares, A. and F.B. Phelger (eds.). *Coastal lagoons.* Universidad Nacional Autonoma de Mexico Ciudad Universitaria, Mexico, D.F.

Wyllie-Echeverria, S. and R.C. Phillips. 1994. Seagrasses of the Northeast Pacific. pp. 4-9. In: Wyllie-Echeverria, S., A.M. Olson and M.J. Hershman (eds.). Seagrass Science and Policy in the Pacific Northwest: Proceedings of a Seminar Series. U.S. Environmental Protection Agency, Seattle, WA. (SMA 94-1). EPA 910/R-r4-004. 63 pp.

Wyllie-Echeverria, S. and M. Ruckelshaus. 1994. Integration of eelgrass biology into design of restoration projects. pp. 99-103. In: M. Mortz (ed.). Partnerships & Opportunities in Wetland Restoration, Proceedings of a Workshop, April 16-17, 1992. U.S. Environmental Protection Agency, U.S. FWS, U.S. ACOE and The University of Washington, Seattle, WA. EPA 910/R-94-003.\*

Wyllie-Echeverria, S., A.M. Olson and M.J. Hershman (eds.). 1994a. Seagrass Science and Policy in the Pacific Northwest: Proceedings of a Seminar Series. U.S. Environmental Protection Agency, Seattle, WA. (SMA 94-1). EPA 910/R-94-004. 63 pp.

Wyllie-echeverria, S., J.R. Cordell, J. Haddad and M.J. Hershman. 1994. Biological monitoring of vegetation characteristics and epibenthic organisms from transplanted and reference eelgrass patches at LaConner, Skagit County, Washington. 1900-1994. U.S. Environmental Protection Agency, Seattle, WA. SMA 94-2. 25 pp.

Zieman, J.C. 1976. The ecological effects of physical damage from motor boats on turtle grass beds in southern Florida. Aquat. Bot. 2:127-139.

Zieman, J.C. 1982a. The ecology of the seagrasses of South Florida: A community profile. U.S. and Wildlife Service, Office of Biological Services, Washington, D.C. FWS/085-82/25. 158 pp.

Zieman, J.C. 1982b. Origin of circular beds of *Thalassia* (Spermatophyta: Hydrocharitaceae) in south Biscayne Bay, Florida, and their relationship to mangrove hammocks. Bull. Mar. Sci. 22:559-574.

Zieman, J.C. and E.J.F. Wood. 1975. Effects of thermal pollution on tropical-type estuaries, with emphasis on Biscayne Bay, Florida. Chp. 5, In: Wood, E.J.F. and R.E. Johannes (eds.). Tropical Marine Pollution. Elsevier, New York.

Zieman, J.C. and R.T. Zieman. 1989. The ecology of the seagrass meadows of the west coast of Florida: A community profile. U.S. Fish Wildl. Serv. Biol. Rep. 85(7.25). 155 pp.

Zimmermen, R.C., A. Cabello-Pasini and R.S. Alberte. 1994. Modeling daily production of aquatic macrophytes from irradiance measurements: A comparative analysis. Mar. Ecol. Prog. Ser. 114:185-196.

Zimmerman, C.F., T.D. French and J.R. Montgomery. 1981. Transplanting and survival of the seagrass *Halodule wrightii* under controlled conditions. Northeast Gulf Sci. 4:131-136.\*

Zimmerman, R. C., R. D. Smith and R. S. Alberte 1989. Thermal acclimation and whole-plant carbon balance in *Zostera marina* L. (Eelgrass). J. Exp. Mar. Biol. Ecol. 130:93-109.

Zimmerman, R.C., J.L. Reguzzoni, S. Wyllie-Echeverria, M. Josselyn and R.S. Alberte. 1991. Assessment of environmental suitability for growth of *Zostera marina* L. (eelgrass) in San Francisco Bay. Aquat. Bot. 39:353-366.